

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|------------------------------------|------------------|---------|------------------|
| L2 | 0 | load\$5 with secure with environment with key with server and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2010/04/22 21:55 |
| L3 | 0 | load\$5 with TPM with key with server and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2010/04/22 21:55 |
| L4 | 5 | TPM with key with server and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2010/04/22 21:56 |
| L5 | 122 | (trust\$5 secur\$3) near2 (module platform) with key with server and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2010/04/22 21:57 |
| L6 | 5 | (trust\$5 secur\$3) near2 (module platform) with key with server with load\$5 and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2010/04/22 21:57 |
| L7 | 0 | (trust\$5 secur\$3) near2 (module platform) with initia \$8 near2 key with server and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2010/04/22 22:20 |
| L8 | 7 | (trust\$5 secur\$3) near2 (module platform) with initia \$8 with key with server and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2010/04/22 22:20 |
| S1 | 0 | sandbox with execut\$6 with second with key and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/04/12 12:44 |
| S2 | 11 | sandbox with execut\$6 with key and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/04/12 12:46 |
| S3 | 0 | sandbox with re\$encrypt\$5 and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/04/12 12:46 |
| S4 | 14 | sandbox with encrypt\$5 and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/04/12 12:52 |
| S5 | 23 | re\$encrypt\$5 with secure with environment and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/04/12 12:59 |
| S6 | 2 | "2003163185".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/04/12 12:59 |

| | | | | | | |
|-----|--------|---|--|----|----|---------------------|
| S7 | 2 | "2003163685".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/04/12 13:00 |
| S8 | 2 | "20030163685".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/04/12 14:38 |
| S9 | 1 | "20020129245".pn. and cipherer with stor\$5 with key | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/04/12 14:39 |
| S10 | 118218 | "20020129245".pn. and c stor\$5 with key | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/04/12 14:39 |
| S23 | 918 | secur\$5 with execut\$5 with environment and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/04/12 15:21 |
| S24 | 2 | secur\$5 with execut\$5 with environment with receiv\$5 with key and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/04/12 15:26 |
| S25 | 60 | secur\$5 with execut\$5 with environment with key and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/04/12 15:33 |
| S26 | 35 | secur\$5 with execut\$5 with environment with software and transport\$5 with key and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/04/12 15:45 |
| S27 | 0 | secur\$5 with execut\$5 with environment with software near2 key and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/04/12 15:45 |
| S28 | 0 | secur\$5 with execut\$5 with environment with application near2 key and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/04/12 15:45 |
| S29 | 17 | secur\$5 with execut\$5 with environment with application with key and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/04/12 15:55 |
| S30 | 54 | execut\$5 with environment with application with key and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/04/12 15:55 |
| S31 | 37 | S30 not S29 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/04/12 16:03 |
| S32 | 3 | secur\$5 with execut\$5 with environment with stor\$5 with key with server and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/04/12 16:12 |
| S33 | 0 | secur\$5 with execut\$5 with environment with load\$5 with key with server and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/04/12 16:12 |

| | | | | | | |
|-----|-------|--|------------------------------------|----|----|------------------|
| S34 | 27 | secur\$5 with execut\$5 with environment with load\$5 with key and @ad<="20030203" | US-PGPUB; USPAT; EPO; JFO; DERWENT | OR | ON | 2007/04/12 16:13 |
| S35 | 2 | secur\$5 with execut\$5 with environment and 380/281. cols. and @ad<="20030203" | US-PGPUB; USPAT; EPO; JFO; DERWENT | OR | ON | 2007/04/12 16:31 |
| S36 | 19326 | secur\$5 with execut\$5 with environment key near2 encrypt\$5 near2 key and @ad<="20030203" | US-PGPUB; USPAT; EPO; JFO; DERWENT | OR | ON | 2007/04/12 16:38 |
| S37 | 4391 | secur\$5 with execut\$5 with environment key adj2 encrypt\$5 adj key and @ad<="20030203" | US-PGPUB; USPAT; EPO; JFO; DERWENT | OR | ON | 2007/04/12 16:36 |
| S38 | 0 | secur\$5 with execut\$5 with environment with key adj2 encrypt\$5 adj key and @ad<="20030203" | US-PGPUB; USPAT; EPO; JFO; DERWENT | OR | ON | 2007/04/12 16:36 |
| S39 | 3 | secur\$5 with execut\$5 with environment with key near2 encrypt\$5 near2 key and @ad<="20030203" | US-PGPUB; USPAT; EPO; JFO; DERWENT | OR | ON | 2007/04/12 16:40 |
| S40 | 1 | trusted with execut\$5 with environment with key near2 encrypt\$5 near2 key and @ad<="20030203" | US-PGPUB; USPAT; EPO; JFO; DERWENT | OR | ON | 2007/04/12 16:40 |
| S41 | 1 | trusted with execut\$5 with environment and 380/281. cols. and @ad<="20030203" | US-PGPUB; USPAT; EPO; JFO; DERWENT | OR | ON | 2007/04/12 16:41 |
| S42 | 13 | (trusted or secur\$5) with execut\$5 with environment with (load\$4 or stor\$5) with key with (software of application or program) and @ad<="20030203" | US-PGPUB; USPAT; EPO; JFO; DERWENT | OR | ON | 2007/04/12 16:42 |
| S43 | 2 | (trusted or secur\$5) with execut\$5 with environment with (receiv\$5 or transfer\$5) with key with (software of application or program) and @ad<="20030203" | US-PGPUB; USPAT; EPO; JFO; DERWENT | OR | ON | 2007/04/12 16:43 |
| S44 | 35 | re\$encrypt\$5 with software with key and @ad<="20030203" | US-PGPUB; USPAT; EPO; JFO; DERWENT | OR | ON | 2007/04/12 17:29 |
| S45 | 1 | "20020129245".pn. and first with key with encrypted | US-PGPUB; USPAT; EPO; JFO; DERWENT | OR | ON | 2007/04/12 17:30 |
| S46 | 1 | "20020129245".pn. and first with key | US-PGPUB; USPAT; EPO; JFO; DERWENT | OR | ON | 2007/04/12 18:31 |

| | | | | | | |
|-----|----|---|--|----|----|---------------------|
| S47 | 0 | "6647495".pn. and queue | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/04/12 18:31 |
| S48 | 0 | "6647495".pn. and list | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/04/12 18:31 |
| S49 | 1 | "6647495".pn. and plural\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/04/12 18:33 |
| S50 | 1 | "6647495".pn. and sequen \$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/04/12 18:33 |
| S51 | 0 | secur\$5 with execut\$5 with environment with load\$5 with key with server and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/11/27 16:57 |
| S52 | 4 | secur\$5 with execut\$5 with environment with key near2 encrypt\$5 near2 key and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/11/27 16:57 |
| S53 | 25 | re\$encrypt\$5 with secure with environment and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/11/27 16:57 |
| S54 | 2 | secur\$5 with execut\$5 with environment and 380/281. cccls. and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/11/27 16:57 |
| S55 | 17 | secur\$5 with execut\$5 with environment with application with key and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2007/11/27 16:57 |
| S56 | 4 | secur\$5 with execut\$5 with environment with server with key and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2008/04/16 15:00 |
| S58 | 18 | decrypt\$5 with secure with environment with key with server and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2008/04/21 14:40 |
| S59 | 61 | decrypt\$5 with secure with environment with content and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2008/04/21 15:07 |
| S60 | 0 | decrypt\$5 with secure near 3environment with content and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2008/04/21 15:07 |
| S61 | 49 | decrypt\$5 with secure near3 environment with content and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2008/04/21 15:07 |
| S62 | 44 | decrypt\$5 with secure near3 environment with content and re\$encrypt\$5 and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2008/04/21 15:08 |

| | | | | | | |
|-----|----|--|--|----|----|---------------------|
| S63 | 0 | "2002129245".pn. and whitening with master with key | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2009/02/14 10:21 |
| S64 | 1 | "2002129245".pn. and whitening with KEY WITH SOFTWARE | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2009/02/14 10:21 |
| S65 | 1 | "2002129245".pn. and master with key | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2009/02/14 10:21 |
| S66 | 0 | "2002129245".pn. and emk with external\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2009/02/14 10:23 |
| S67 | 12 | sandbox with execut\$6 with key and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2009/02/15 08:00 |
| S68 | 36 | secur\$5 with execut\$5 with environment with software and transport\$5 with key and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2009/02/15 08:00 |
| S69 | 16 | (trusted or secur\$5) with execut\$5 with environment with (load\$4 or stor\$5) with key with (software of application or program) and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2009/02/15 08:00 |
| S70 | 4 | secur\$5 with execut\$5 with environment with server with key and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2009/02/15 08:00 |
| S71 | 63 | decrypt\$5 with secure with environment with content and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2009/02/15 08:00 |
| S72 | 28 | secure with environment with receiv\$5 with key and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2009/09/30 14:10 |
| S73 | 27 | ((secur\$5 near2 environment) (tpm)) with re \$encrypt\$5 and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2009/09/30 14:19 |
| S74 | 1 | ((secur\$5 near2 environment) (tpm)) with (receiv\$5 transmit\$5) with key with secur\$5 and re \$encrypt\$5 and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2009/09/30 14:56 |
| S75 | 2 | ((secur\$5 near2 environment) (tpm)) with (receiv\$5 transmit\$5) with key with secur\$5 with server and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2009/09/30 14:58 |

| | | | | | | |
|-----|----|--|--|----|----|---------------------|
| S76 | 15 | ((secur\$5 near2 environment) (tpm)) with (receiv\$5 transmit\$5 provid\$5) with key with secur\$5 with server and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2009/09/30 14:58 |
| S77 | 15 | ((secur\$5 near2 environment) (tpm)) with (receiv\$5 transmit\$5 provid\$5 load\$5) with (Secur\$5 encrypt\$3) with key with server and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2009/09/30 15:01 |
| S78 | 0 | ((secur\$5 near2 environment) (tpm)) with (load\$5) with (Secur\$5 encrypt\$3) with key with server and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2009/09/30 15:01 |
| S79 | 23 | ((secur\$5 near2 environment) (tpm)) with (load\$5) with (Secur\$5 encrypt\$3) with key and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2009/09/30 15:01 |
| S80 | 10 | (US-20020092003-\$ or US-20020129245-\$ or US-20020141582-\$ or US-20030204738-\$ or US-20030167392-\$ or US-20040101141-\$).did. or (US-5805706-\$ or US-7055040-\$ or US-6098056-\$).did. or (EP-875814-\$).did. | US-PGPUB; USPAT; DERWENT | OR | ON | 2009/09/30 15:08 |
| S81 | 4 | S80 and server with key | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2009/09/30 15:08 |
| S82 | 28 | ((secur\$5 near2 environment) (tpm)) with (load\$5) WITH KEY and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2009/09/30 15:11 |
| S83 | 13 | RE\$ENCRYPT\$5 WITH content and content with key with receiv\$5 with secur\$9 with server and @ad<="20030203" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2009/09/30 23:13 |
| S84 | 0 | *6144869*.pn. and glucand | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2009/10/05 14:51 |
| S85 | 0 | *6144869*.pn. and glucoband | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2009/10/05 14:51 |

| | | | | | | |
|-----|---|--------------------------|--|----|----|---------------------|
| S86 | 2 | "6144869".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2009/10/05 14:51 |
| S87 | 2 | "6144869".pn. and glu\$9 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2009/10/05 14:51 |
| S88 | 0 | glucoband.ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2009/10/05 15:05 |
| S89 | 0 | gluco\$band.ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2009/10/05 15:05 |

4/ 22/ 10 11:07:40 PM

C:\Documents and Settings\Schen4\My Documents\EAST\Workspaces\10771836.wsp